




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
Ø	INITIAL SOLIDWORKS DRAWING RELEASE	05/01/12	JEH

NOTES: UNLESS OTHERWISE SPECIFIED

- DEBURR SHARP EDGES .015 MAX.
- CHAMFER ALL THREADS .01 PAST ROOT DIAMETER.
- REFLECTOR TO BE REPLICATED FROM SPECIFIED MASTER TOOL EXHIBITING REQUIRED GEOMETRY AND SPECULAR SURFACE FINISH OF 80-50 SCRATCH-DIG PER MIL-0-13830A.
- NOMINAL THICKNESS (T) MAY VARY ± T/4 WITHIN .25 OF EDGES AND BLEND RADIUS AT FLANGE TRANSITION WITH CONTOUR.
- VERTEX HOLE OPENING IS PREFERRED REGISTRATION FEATURE FOR AXIAL ALIGNMENT OF REFLECTOR. PLANE OF CLEAR APERTURE NOT RECOMMENDED FOR THIS PURPOSE.



EF SURFACE AREA: 2.0662 SQ. FT.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS DECIMALS ± 1/16 ± .005 ± .005 ANGLES ± 1/2°		CONTRACT NO. 01-E1023F		42310 WINCHESTER RD. TEMECULA, CA 92590 WWW.OPTIFORMS.COM	
MATERIAL ELECTROFORMED NICKEL - LSSN TYPE 1		APPROVALS DRAWN JEH	DATE 05/01/12	REFLECTOR, ELLIPTICAL 40.28"/1023mm (F1-F2)	
FINISH NOTE 3		CHECKED		SIZE C	CAGE CODE 0Y1Y4
NEXT ASSY		ENGR KMT	DATE 05/01/12	DWG. NO. E1023F-0100	REV. Ø
APPLICATION		DESIGN ACTIVITY -DO NOT SCALE DRAWING-		SCALE 1:2.5	CAD NO. E1023F
				SHEET	1 OF 1